

DYNAMAX CERAMIC OIL ADDITIV**Safety data sheet**

(Regulation 1907/2006/EC, amended by 2015/830/EU)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY /UNDERTAKING**1.1. Product identifier**

Material Name:	DYNAMAX CERAMIC OIL ADDITIV		
CAS:		EINECS:	
		ELINCS:	

1.2. Identified uses

Uses:	Lubricant additiv liquid
--------------	--------------------------

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier:	EURO-VAT spol. s r.o.
IČO:	18049397
Address:	Alekšince 231
	951 22
	Alekšince
	Slovakia
Phone/fax number:	+421 37 7822 326-7
E-mail:	eurovat@eurovat.sk www.eurovat.sk
Emergency phone number:	National Poisons Information Service: City Hospital, Birmingham B187QH, United Kingdom Phone: +44 121 507 4123 E-mai: allistervale(at)npis.org , sallybradberry(at)npis.org Website: www.npis.org

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture	Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Hazard categories: Not classified as hazardous
2.2 Label elements	Hazard pictograms (CLP/GHS) : No Hazard Symbol required Signal word: - H-phrases: EUH208 Contains benzenesulphonic acid, propenated, calcium salt, overbased. May produce an allergic reaction. P-phrases: P102 Keep out of reach of children. Contains: - Precautionary statements Prevention : Do not breathe vapour. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Response : Get medical attention if you feel unwell. IF SWALLOWED:

DYNAMAX CERAMIC OIL ADDITIV

2.3 Other hazards	<p>Call a POISON CENTER or physician if you feel unwell.</p> <p>Storage : Store in original container in a well ventilated area at temperatures up to 40 °C.</p> <p>Disposal : Not applicable.</p> <p>Supplemental label elements: Not applicable.</p>
	<p>Special packaging requirements</p> <p>Containers to be fitted with child-resistant fastenings: Not applicable.</p> <p>Tactile warning of danger: Not applicable.</p> <p>Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII: Not available.</p> <p>Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII: Not available.</p> <p>Other hazards which do not result in classification: Not available.</p>

SECTION 3. COMPOSITION/INFORMATION ON IGREDIENTS

Product /ingredient name	CAS	EC	Symbols	Conc.	Registr. no REACH	GHS classification	
poly(oxyalkylen)-ammoniummolybdat in oil	68478-66-0	270-831-3	-	1 - 10	-	-	-
benzenesulfonic acid, propenated, calcium salt, overbased	68610-84-4	271-877-7	GHS07	max. 1	-	Skin Sens. 1 Aquatic Chronic 4	H317 H413
calcium long-chain alkylphenate sulfide	-	-	-	max. 1	-	Aquatic Chronic 4	H413
alkoxylated long-chain alkyl alcohol	-	-	GHS08,09	max. 1	-	Eye Dam. 1 Aquatic Acute 1	H318 H400
phenol, 4-dodecyl-	104-43-8	203-202-9	GHS07,08 09	max. 1	-	Skin Irrit. 2 Repr. 2 Aquatic Acute 1 Aquatic Chronic 1 Eye Dam. 1	H315 H361fd H400 H410 H318

Full text of H and EUH phrases: see section 16.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures	<p>Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.</p> <p>Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.</p> <p>Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a doctor.</p> <p>Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.</p>
4.2 Most important symptoms and effects, both acute and delayed	<p>Potential acute health effects</p> <p>Eye contact: There may be irritation and redness. The eyes may water profusely.</p> <p>Inhalation : There may be irritation of the throat with a feeling of tightness in the chest.</p> <p>Skin contact : There may be irritation and redness at the site of contact.</p> <p>Ingestion : There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.</p>
4.3 Indication of any immediate medical attention and special treatment needed	<p>Notes to physician: No specific notes.</p> <p>Specific treatments: No specific treatment.</p>

DYNAMAX CERAMIC OIL ADDITIV**SECTION 5. FIRE FIGHTING MEASURES**

5.1 Suitable extinguishing media	Carbon dioxide. Dry chemical powder. Alcohol or polymer foam. Water fog. Do not use water.
5.2. Unsuitable extinguishing media	None known.
5.3. Specific hazards	In combustion emits toxic fumes of sulphur oxides.
5.4. Protective equipment for firefighters	Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.
Additional advice	-

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions	Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.
6.2. Environmental precautions	Do not discharge into drains or rivers. Contain the spillage using bunding.
6.3. Clean up methods	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

SECTION 7. HANDLING AND STORAGE

7.1. Handling	Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air. Avoid direct contact with the substance.
7.2 . Storage	Store in cool, well ventilated area. Keep container tightly closed. Keep away from direct sunlight. Ensure a retention tank is installed. The floor of the storage room must be impermeable to prevent the escape of liquids.

SECTION 8. EXPOSURE CONTROL/PERSONAL PROTECTION

8.1. Control parameters	No data available.
8.2 Exposure controls	Observe the usual precautions for health at work and in good ventilation. When using do not eat, drink or smoke.
8.2.1 Occupational exposure controls	a) Respiratory protection: it is necessary only in case of exceeding the TWA b) Eye protection: safety glasses c) Protection of hands: protective gloves (EN 374) d) protection: clothing (impermeable overalls and closed safety boots)
8.2.2. Environmental exposure controls	To prevent leakage of concentrated mixture into surface water drains or soil. Mixture stored in tightly sealed and labeled containers.
8.3. TWA	No data available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Fysical state	oil
Colour	white
Odour	charakteristic
pH	6,5
Flash point (ASTM-D92) [°C]	220
Boiling point [°C]	190

DYNAMAX CERAMIC OIL ADDITIV

Freezing point [°C]	-39
Flammability	not available
Temperature of spontaneous combustion [°C]	230
Lower limit of explosion	not available
Superior limit of explosion	not available
Oxidising properties	not available
Vapour pressure [hPa]	not available
Relative density [g.cm ⁻³] typ.	0,900
Water solubility [g.l ⁻¹]	insoluble
Solubility in solvents [g.l ⁻¹]	not available
9.2 Other information	No additional information.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity	Stable under recommended transport or storage conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Oxidiser: will readily oxidize other materials that come into contact with it.
10.4 Conditions to avoid	Direct sunlight.
10.5 Incompatible materials	Strong oxidising agents. Strong acids.
10.6 Hazardous decomposition products	In combustion emits toxic fumes of sulphur oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects	<p><u>Acute toxicity</u> <u>Acute oral toxicity:</u> No data available.</p> <p><u>Acute dermal toxicity:</u> No data available.</p> <p><u>Acute inhalation toxicity:</u> No data available.</p> <p><u>Irritation/Corrosion</u> Conclusion/Summary : Not available</p> <p><u>Sensitisation</u> Conclusion/Summary : Not available.</p> <p><u>Mutagenicity</u> Conclusion/Summary : Not available.</p> <p><u>Carcinogenicity</u> Conclusion/Summary : Not available.</p> <p><u>Reproductive toxicity</u> Conclusion/Summary : Not available.</p> <p><u>Teratogenicity</u> Conclusion/Summary : Not available.</p> <p><u>Aspiration hazard</u> Not available.</p>
---	---

DYNAMAX CERAMIC OIL ADDITIV

	<p>Information on the likely routes of exposure: Not available.</p> <p><u>Symptoms related to the physical, chemical and toxicological characteristics</u> Eye contact : No specific data. Inhalation : No specific data. Skin contact: No specific data Ingestion: No specific data.</p> <p><u>Delayed and immediate effects and also chronic effects from short and long term exposure</u></p> <p><u>Short term exposure</u> Potential immediate effects: Not available. Potential delayed effects : Not available.</p> <p><u>Long term exposure</u> Potential immediate effects: Not available. Potential delayed effects: Not available. <u>Potential chronic health effects</u> Conclusion/Summary : Not available.</p> <p>Other information : Not available.</p>
--	--

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity	No data available.
12.2 Persistence and degradability	Only slightly biodegradable.
12.3 Bioaccumulative potential	No bioaccumulation potential.
12.4 Mobility	Non-volatile. Floats on water. Absorbed only slowly into soil.
12.5 Results of PBT and vPvB assessment	PBT : Not available. vPvB : Not available.
12. 6 Other adverse effects	-

SECTION 13. DISPOSAL CONSIDERATIONS

<u>13.1 Product</u>
<p>Methods of disposal: Biological treatment not specified elsewhere which results in final compounds or mixtures which are discarded by means of any of the other possible disposal operations. Physico-chemical treatment not specified elsewhere in this Annex which results in final compounds or mixtures which are discarded by means of any of the other possible disposal operations (e.g. evaporation, drying, calcination, etc.).</p> <p>Recovery operations: Use principally as a fuel or other means to generate energy. Solvent reclamation/regeneration. Oil re-refining or other reuses of oil.</p> <p>Waste code number: 13 02 05</p>

DYNAMAX CERAMIC OIL ADDITIV**13.2 Packaging**

Methods of disposal: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Type of waste	Name of waste	Category of waste
15 01 10	Packaging containing residues of hazardous substances or contaminated by dangerous substances	N

SECTION 14. TRANSPORT INFORMATION

ADR	This product does not require a classification for transport.
UN proper shipping name	-
Transport hazard class	-
Packing group	-
Hazard No.	-

SECTION 15. REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
EU Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU**Annex XIV - List of substances subject to authorisation****Substances of very high concern**

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: Not applicable.

EU Regulation (EC) No 1272/2008 of the European Parliament and of the Council**Other EU regulations**

Europe inventory : All components are listed or exempted.

Black List Chemicals : Not listed

Priority List Chemicals : Not listed

Integrated pollution prevention and control list (IPPC) - Air: Not listed

Integrated pollution prevention and control list (IPPC) - Water: Not listed

International regulations

Chemical Weapons Convention List Schedule I Chemicals: Not listed

Chemical Weapons Convention List Schedule II Chemicals: Not listed

Chemical Weapons Convention List Schedule III Chemicals: Not listed

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16. OTHER INFORMATION**Reason for Revision:**

11.10.2018 - Classification of the mixture of the European Parliament and Council Regulation (EC) No.

DYNAMAX CERAMIC OIL ADDITIV

2015/830

16.1 Text of H-phrases (point 3):

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

16.3 Other information:

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. This does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.