

DYNAMAX SCREENWASH -40**Winter screenwash****Safety data sheet**

(Regulation 1907/2006/EC, amended by 2020/878/EU)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY / UNDERTAKING**1.1. Product identifier**

Material Name:	DYNAMAX SCREENWASH -40		
CAS:		EINECS:	
		UFI:	CKXR-SE18-4107-99WW


1.2. Identified uses

Uses:	Winter screenwash
--------------	-------------------

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier:	EURO-VAT spol. s r.o.
IČO:	18049397
Address:	Alekšince 231
	951 22
	Alekšince (Slovakia)
Phone/fax number:	+421 37 7822 326-7
E-mail:	eurovat@eurovat.sk www.eurovat.sk
Emergency phone number:	National Poisons Information Service: City Hospital, Birmingham B187QH, United Kingdom Phone: +44 121 507 4123 E-mai: allistervale(at)npis.org , sallybradberry(at)npis.org Website: www.npis.org

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture	Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Flam. Liq. 3 H226 Eye Irrit. 2 H319
2.2 Label elements	Hazard pictograms (CLP/GHS) :  Signal word: warning H-phrases: H226 Flammable liquid and vapour H319 Causes serious eye irritation P-phrases: P102 Keep out of reach of children P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

DYNAMAX SCREENWASH -40

Winter screenwash

2.3 Other hazards

P337+P313 If eye irritation persists: Get medical advice/attention
P403+P235 Store in a well-ventilated place. Keep cool
P501 Dispose of contents/container to a hazardous waste in accordance with relevant legislation

Contains: ethanol
< 5% anionic surfactants
butylphenyl methylpropional (=fragrance)

Precautionary statements

Prevention : Do not breathe vapour. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Response : Get medical attention if you feel unwell. IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell.

Storage : Store in original container in a well ventilated area at temperatures up to 40 °C. Protect the product from static electricity.

Disposal : Not applicable.

Supplemental label elements: Not applicable.

Special packaging requirements

Containers to be fitted with child-resistant fastenings: Not applicable.

Tactile warning of danger: Applicable.

Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII:







Not available.

Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII:

Not available.

Other hazards which do not result in classification: Not available.

SECTION 3: COMPOSITION/INFORMATION ON IGREDIENTS

Product /ingredient name	CAS	EC	Symbols	Conc.	Registr. no REACH	GHS classification	
Ethanol	64-17-5	200-578-6	 	min. 5	01-2119457610-43-xxxx	Flam.Liq. 2 Eye Irrit. 2	H225 H319
Aminoethanol	polymer			min. 5	-	Flam.Liq. 2	H225
Dodecylbenzensulfonat Na	25155-30-0	285-600-2	 	max. 0,5	01-2120088038-51-xxxx	Skin Irrit. 2 Eye Dam. 1	H315 H318
Buthylphenylmethyl propional	80-54-6	201-289-8		max. 0,05	01-2119485965-18-xxxx	Acute Tox. 4 (*) Skin Sens.1	H302 H317

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Eye contact: Rinse immediately with plenty of water. Seek medical attention if irritation develops.
Inhalation: Assure fresh air breathing. If you feel unwell, seek medical advice.
Skin contact: Wash the skin with water and soap and apply skin-protective cream.
Ingestion: Do not induce vomiting. If the injured is conscious give 2 glasses of water. Ensure medical assistance immediately

DYNAMAX SCREENWASH -40

Winter screenwash

4.2 Most important symptoms and effects, both acute and delayed	<p>Potential acute health effects</p> <p>Eye contact: Symptoms: burning eyes. First aid: Rinse gentle stream of water for at least 15 minutes. If symptoms persist, consult a doctor.</p> <p>Inhalation : Inhalation occurs facial flushing and feeling drunk.</p> <p>Skin contact : Wash off with warm water and soap and apply a suitable cream.</p> <p>Ingestion : After ingestion rinse mouth with water. Give water to drink. Do not induce vomiting. Seek medical advice.</p>
4.3 Indication of any immediate medical attention and special treatment needed	<p>Notes to physician: No specific notes.</p> <p>Specific treatments: No specific treatment.</p>

SECTION 5: FIRE FIGHTING MEASURES

5.1 Suitable extinguishing media	Foam, powder, carbon dioxide, water spray.
5.2. Unsuitable extinguishing media	A direct stream of water, fire-extinguishing foam not so resistant to alcohol.
5.3. Specific hazards	Formed during combustion gases containing oxides of carbon and nitrogen. Endangered containers and storage space cooling water screen and possibly removed from the danger zone.
5.4. Protective equipment for firefighters	Protective clothing against radiant heat and insulating breathing apparatus.
Additional advice	-

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions	Ensure adequate ventilation. Avoid contact with skin and eyes. No smoking.
6.2. Environmental precautions	Do not allow to surface and groundwater. With its breakthrough contact person.
6.3. Clean up methods	Spills drain device for I.degree fire hazard to vessels, remnants suck suitable absorbent agent. Material according to the degree of pollution in an appropriate incinerator to burn.

SECTION 7: HANDLING AND STORAGE

7.1. Handling	When using do not eat or drink or smoke. Observe safety and sanitary measures.
7.2 . Storage	Store in original container in a well ventilated area at temperatures up to 40 ° C. Protect the product from static electricity.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters	Ventilation respectively. exhausting work areas. The work may not be readily combustible substances and other dangerous source of fire.
8.2 Exposure controls	Observe the usual precautions for health at work and in good ventilation. When using do not eat, drink or smoke.
8.2.1 Occupational exposure controls	<p>a) Respiratory protection: it is necessary only in case of exceeding the TWA (mask with organic vapor filter type A)</p> <p>b) Eye protection: goggles</p> <p>c) Protection of hands: protective gloves (EN 374)</p> <p>d) protection: clothing</p>
8.2.2. Environmental	To prevent leakage of concentrated mixture into surface water drains or soil.

DYNAMAX SCREENWASH -40**Winter screenwash**

exposure controls	Mixture stored in tightly sealed and labeled containers.	
8.3. TWA	ethanol (CAS 64-17-5)	average: 960 mg/m ³ short: 1920 mg/m ³

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Physical state	liquid
Colour	blue
Odour	fruit
pH	9 +/-2
Flash point (ASTM-D92) [°C]	>24
Boiling point (ASTM D1120) [°C]	not available
Freezing point [°C]	-40 +/- 1
Flammability	flammable liquid II.class
Temperature of spontaneous combustion [°C]	not available
Lower limit of explosion	not available
Superior limit of explosion	not available
Oxidising properties	not available
Vapour pressure [hPa]	not available
Relative density [g.cm⁻³] at 20°C	0,920 +/-0,005
Water solubility [g.l⁻¹]	very good mixable
Solubility in solvents [g.l⁻¹]	soluble in alcohols, acetone
9.2 Other information	No additional information.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	Stabile under recommended conditions of use and storage.
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	Temperature below 0 °C. Avoid storing in direct sunlight. When observing the correct storage temperature and storage conditions, there is no degradation.
10.5 Incompatible materials	oxidizing agents, anhydrides, peroxides, acids, acid chlorides, alkali metals
10.6 Hazardous decomposition products	In case of fire carbon monoxide

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****11.1.1 Mixture**

For mixtures, the following hazard classes are evaluated according to the procedures set out in Regulation (EC) No. 1907/2006. 1272/2008 (CLP) on the basis of the information on the substances contained. Tests for the whole mixture are not available.

Acute toxicity

Ethanol:

LD ₅₀ oral (rat)	7060 mg.kg ⁻¹
LD ₅₀ oral (mouse)	8300 mg.kg ⁻¹
LC ₅₀ inhalation (mouse)	20 000 ppm/ 10 h

DYNAMAX SCREENWASH -40

Winter screenwash

LDL₀ dermal (rabbit) 20 000 mg/kg

Irritation/Corrosion

Conclusion/Summary : Not available.

Sensitisation

Conclusion/Summary : in contact with skin

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure: Not available.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.

Inhalation : No specific data.

Skin contact: No specific data

Ingestion: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects: Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects: Not available.

Potential delayed effects: Not available.

Potential chronic health effects

Conclusion/Summary : Not available.

General : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

The mixture does not contain substances that disrupt the endocrine system.

DYNAMAX SCREENWASH -40**Winter screenwash****11.2.2 Other information**

Not available.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Conclusion/Summary : Not available.
12.2 Persistence and degradability	Degradability of tenzides: > 90 % (producer declare performance of requirements of Regulation No. 648/2004)
12.3 Bioaccumulative potential	Not available.
12.4 Mobility	Not available.
12.5 Results of PBT and vPvB assessment	PBT : Not available. vPvB : Not available.
12.6 Endocrine disrupting properties	The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
12.7 Other adverse effects	No known significant effects or critical hazards.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Product**

Methods of disposal: The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Hazardous waste : The classification of the product meets the criteria for a hazardous waste.

Type of waste	Name of waste	Category of waste
16 01 14	antifreeze fluids containing dangerous substances	N

13.2 Packaging

Methods of disposal: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Type of waste	Name of waste	Category of waste
15 01 10	Packaging containing residues of hazardous substances or contaminated by dangerous substances	N

SECTION 14: TRANSPORT INFORMATION

DYNAMAX SCREENWASH -40**Winter screenwash**

ADR	UN 1170 F1
UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (ETHANOL)
Class	3
Hazard Identification	33
Packing group	III
Label	3

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
EU Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU**Annex XIV - List of substances subject to authorisation****Substances of very high concern**

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: Not applicable.**EU Regulation (EC) No 1272/2008 of the European Parliament and of the Council****Other EU regulations**

Europe inventory : All components are listed or exempted
Black List Chemicals : Not listed
Priority List Chemicals : Not listed
Integrated pollution prevention and control list (IPPC) - Air: Not listed
Integrated pollution prevention and control list (IPPC) - Water: Not listed

International regulations

Chemical Weapons Convention List Schedule I Chemicals: Not listed
Chemical Weapons Convention List Schedule II Chemicals: Not listed
Chemical Weapons Convention List Schedule III Chemicals: Not listed

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: OTHER INFORMATION**Reason for Revision:**

07.07.2022 - Classification of the mixture of the European Parliament and Council Regulation (EC) No. 2020/878

16.1 Text of H-phrases (point 3):

H225 Highly flammable liquid and vapour
H302 Harmful if swallowed
H315 Causes skin irritation
H317 May cause an allergic skin reaction
H318 Causes serious eye damage
H319 Causes serious eye irritation



Previous version preparation date: 20.06.2013
Update date: 07.07.2022

Page: 8/8
Revision edition no: 3

DYNAMAX SCREENWASH -40

Winter screenwash

16.3 Other information:

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. This does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.