

Previous version preparation date: 13.07.2018 Update date:

# DYNAMAX TRUCKMAN HD 20W/50

# Safety data sheet

#### (Regulation 1907/2006/EC, amended by 2015/830/EU)

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY / **UNDERTAKING**

| Material Name:                                  | DYNAMAX TRUCKMAN HD 20W/50   |  |  |
|---|--|--|--|
| CAS:  | EINECS:  |  |  |
|   | ELINCS:  |  |  |
| .2. Identified uses                             |  |  |  |
| Uses:   | Motor oil  |  |  |
| .3. Details of the supplier                     | of the safety data sheet   |  |  |
| Manufacturer/Supplier:                          | EURO-VAT spol. s r.o.  |  |  |
| IČO:  | 18049397   |  |  |
| Address:  | Alekšince 231  |  |  |
|   | 951 22   |  |  |
|   | Alekšince (Slovakia)   |  |  |
| Phone/fax number:                               | +421 37 7822 326-7   |  |  |
| E-mail:   | eurovat@eurovat.sk www.eurovat.sk  |  |  |
| Emergency phone<br>number:                      | Národné toxikologické informačné centrum (NTIC)Klinika pracovného lekárstva a toxikológie, FNsP akad. L.DéreraLimbova 5833 05 BratislavaTel. +421 2 5477 4166 <u>ntic@ntic.sk</u> www.ntic.sk              |  |  |
| SECTION 2: HAZARDS                              | IDENTIFICATION   |  |  |
| 2.1. Classification of the substance or mixture | Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]<br>-   |  |  |
| 2.2 Label elements                              | Hogard nictograms (CI D/CHS) .   |  |  |
|   | Hazard pictograms (CLP/GHS) :<br>No Hazard Symbol required   |  |  |
|   | Tto Hazard Symbol required   |  |  |
|   | Signal word: -   |  |  |
|   |  |  |  |
|   | TT 1   |  |  |
|   | H-phrases:   |  |  |
|   | <ul> <li>H-phrases:</li> <li>P-phrases:</li> <li>P273 Avoid release to the environment</li> <li>P501 Dispose of contents/container to a hazardous waste in accordance with relevant legislation</li> </ul> |  |  |
|   | -<br><b>P-phrases:</b><br>P273 Avoid release to the environment<br>P501 Dispose of contents/container to a hazardous waste in accordance with  |  |  |

handling.

**Prevention :** 

**Response :** 

Storage :

Do not breathe vapour. Do not eat, drink or smoke when

Store in well closed packing at temperatures of up

using this product. Wash hands thoroughly after

Get medical attention if you feel unwell. IF SWALLOWED:

Call a POISON CENTER or physician if you feel unwell.

📶 EURO-VAT

Previous version preparation date: 13.07.2018 Update date:

# DYNAMAX TRUCKMAN HD 20W/50

|                   |                                | to 40 °C in a dry room that can be ventilated.<br>Protect against heat and direct sunlight. Do not |  |
|-------------------|--------------------------------|--|--|
|                   |                                | store near food. Prevent its release to the  |  |
|                   |                                | environment.   |  |
|                   | Disposal :                     | Not applicable.  |  |
|                   | -                              |  |  |
|                   | Supplemental label element     | s: Not applicable.   |  |
|                   |                                |  |  |
|                   | Special packaging requirements |  |  |
|                   |                                |  |  |
|                   |                                | child-resistant fastenings: Not applicable.  |  |
|                   | Tactile warning of danger:     | Not applicable.  |  |
|                   |                                |  |  |
|                   | Substance meets the criteria   | a for PBT according to Regulation (EC) No.   |  |
|                   | 1907/2006, Annex XIII:         | for the functional to regulation (20) for  |  |
|                   |                                | ×  |  |
| 2.3 Other hazards | N                              | lot available.   |  |
|                   | Substance meets the criteria   | a for vPvB according to Regulation (EC) No.  |  |
|                   | 1907/2006, Annex XIII:         |  |  |
|                   | ]                              | Not available.   |  |
|                   | Other hazards which do no      | t result in classification: Not available.   |  |

## SECTION 3: COMPOSITION/INFORMATION ON IGREDIENTS

| Product /ingredient name                                      | CAS        | EC        | Symbols | Conc.   | Registr. no<br>REACH      | GHS classifica    | tion |
|---|------------|-----------|---------|---------|---------------------------|-------------------|------|
| Distillates (petroleum),<br>hydrotreated heavy paraffinic     | 64742-54-7 | 265-157-1 | *       | 25 - 50 | 01-2119484627-<br>25-xxxx | -                 | -    |
| Distillates (petroleum), solvent-<br>dewaxed heavy paraffinic | 64742-65-0 | 265-169-7 | *       | 25 - 50 | 01-2119471299-<br>27-xxxx | -                 | -    |
| Polyolefine polyamine<br>succinimide, Polyol                  | -          | -         | -       | 1 - 5   | -                         | Aquatic Chronic 4 | H413 |

\* The base oils used in the mixtures containing less than 3% DMSO extract by IP 346. According to a note in the classified list of L products are not classified as hazardous substances.

## **SECTION 4: FIRST AID MEASURES**

| 4.1 Description of first aid | Eye contact: Rinse immediately with plenty of water. Seek medical attention if          |  |  |
|------------------------------|---|--|--|
| -                            |   |  |  |
| measures                     | irritation develops.  |  |  |
|                              | Inhalation: Assure fresh air breathing. If you feel unwell, seek medical advice.        |  |  |
|                              | Skin contact: Wash the skin with water and soap and apply skin-protective cream.        |  |  |
|                              | <b>Ingestion:</b> Do not induce vomiting. If the injured is conscious give 2 glasses of |  |  |
|                              | water. Ensure medical assistance immediately  |  |  |
| 4.2 Most important           | Potential acute health effects  |  |  |
| symptoms and effects,        | Eye contact: No known significant effects or critical hazards.                          |  |  |
| both acute and delayed       | Inhalation: No known significant effects or critical hazards.                           |  |  |
|                              | Skin contact : No known significant effects or critical hazards.                        |  |  |
|                              | <b>Ingestion :</b> No known significant effects or critical hazards.                    |  |  |
|                              | Over-exposure signs/symptoms  |  |  |
|                              | Eye contact : No specific data.   |  |  |
|                              | Inhalation: No specific data.   |  |  |
|                              | Skin contact: No specific data.   |  |  |
|                              | Ingestion: No specific data.  |  |  |
| 4.3 Indication of any        | Notes to physician: No specific notes.  |  |  |
| immediate medical            | Specific treatments: No specific treatment.   |  |  |
| attention and special        | -   |  |  |
| treatment needed             |   |  |  |
|                              |   |  |  |

**SECTION 5: FIRE FIGHTING MEASURES** 



Previous version preparation date: 13.07.2018 Update date:

## DYNAMAX TRUCKMAN HD 20W/50

| 5.1 Suitable extinguishing media                  | Water fog, carbon dioxide, foam, dry chemical product, sand   |
|---|---|
| 5.2. Unsuitable extinguishing media               | Do not use a heavy water stream.  |
| 5.3. Specific hazards                             | Hazardous combusion products may include: A complex mixture of airborne solid<br>and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic<br>and inorganic compounds. |
| <b>5.4. Protective equipment</b> for firefighters | Proper protective equipment including breathing   |
| Additional advice                                 | Flammable liquid IV. class!   |

## SECTION 6: ACCIDENTAL RELEASE MEASURES

| 6.1. Personal precautions | Ensure adequate ventilation. Avoid contact with skin and eyes. No smoking.   |
|---------------------------|--|
| 6.2. Environmental        | Do not allow to surface and groundwater. With its breakthrough contact person.   |
| precautions               |  |
| 6.3. Clean up methods     | Slippery when spilt. Avoid accidents, clean up immediately. Prevent from<br>spreading by making a barrier with sand, earth or other containment material.<br>Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such<br>as clay sand or other suitable material and dispose of properly. Local authorities<br>should be advised if significant spillages cannot be contained. |

## **SECTION 7: HANDLING AND STORAGE**

| 7.1. Handling | Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used.             |
|---------------|---|
| 7.2 . Storage | Store in well closed packing at temperatures of up to 40 °C in a dry room that can be ventilated. Protect against heat and direct sunlight. Do not store near food. Prevent its release to the environment. |

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| 8.1. Control parameters                | Ventilation respectively. exhausting work areas. The work may not be readily combustible substances and other dangerous source of fire.   |
|--|---|
| 8.2 Exposure controls                  | Observe the usual precautions for health at work and in good ventilation. When using do not eat, drink or smoke.  |
| 8.2.1 Occupational exposure controls   | <ul> <li>a) Respiratory protection: the use of Filter type A (EN 141) is recommended if<br/>exceeding the Occupational Exposure Limit.</li> <li>b) Eye protection: chemical goggles or safety glasses (EN 166)</li> <li>c) Protection of hands: Wear suitable gloves resistant to chemical penetration<br/>(EN 374)</li> <li>d) Skin protection: Wear suitable protective clothing (EN 465, EN 466 or EN 467)<br/>Other: Protective helmet. Do not wear leather soled shoes.</li> </ul> |
| 8.2.2. Environmental exposure controls | To prevent leakage of concentrated mixture into surface water drains or soil.<br>Mixture stored in tightly sealed and labeled containers.   |
| 8.3. TWA                               | Occupational Exposure Standard (OES) of 5mg/m <sup>3</sup> , 8-hour time-weighted average reference period for oil mist.  |

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

| Fysical state | Oily liquid              |
|---------------|--------------------------|
| Colour        | Light brown              |
| Odour         | Light odour of petroleum |



Previous version preparation date: 13.07.2018 Update date:

# DYNAMAX TRUCKMAN HD 20W/50

| рН  | not available               |
|---|-----------------------------|
| Flash point (ASTM-D92) [°C]                                 | > 201                       |
| Boiling point (ASTM D1120) [°C]                             | not available               |
| Melting point [°C]  | < -33                       |
| Flammability  | IV. class                   |
| Temperature of spontaneous combustion [°C]                  | not available               |
| Lower limit of explosion                                    | not available               |
| Superior limit of explosion                                 | not available               |
| Oxidising properties  | not available               |
| Vapour pressure [hPa]                                       | not available               |
| Relative density [g.cm <sup>-3</sup> ]                      | approx. 0,890               |
| Water solubility [g.l <sup>-1</sup> ]                       | material insoluble in water |
| Solubility in solvents [g.l <sup>-1</sup> ]                 | soluble in benzin, toluen   |
| 9.2 Other information                                       |                             |
| Viscosity at 40°C [mm <sup>2</sup> .s <sup>-1</sup> ] typ.  | 135                         |
| Viscozity at 100°C [mm <sup>2</sup> .s <sup>-1</sup> ] typ. | -                           |

# SECTION 10: STABILITY AND REACTIVITY

| 10.1 Reactivity                          | No specific test data related to reactivity available for this product or its ingredients. |  |
|--|--|--|
| 10.2 Chemical stability                  | Stabile under recommended conditions of use and storage.                                   |  |
| 10.3 Possibility of hazardous reactions  | Under normal conditions of storage and use, hazardous reactions will not occur.            |  |
| 10.4 Conditions to avoid                 | Extremes of temperature and direct sunlight  |  |
| <b>10.5 Incompatible materials</b>       | Strong oxidising agents  |  |
| 10.6 Hazardous<br>decomposition products | Hazardous decomposition products are not expected to form during normal storage            |  |

## **SECTION 11: TOXICOLOGICAL INFORMATION**

| 11.1 Information on   | Acute toxicity   |
|-----------------------|--|
|                       |  |
| toxicological effects | Acute oral toxicity - LD50 (rat) > 2000 mg/kg  |
|                       | Acute dermal toxicity - LD50 (rabbit) > 2000 mg/kg                                     |
|                       |  |
|                       | Irritation/Corrosion   |
|                       | Based on the composition of the product is irritant. Prolonged or repeated contact may |
|                       | cause eye and skin irritation with respect to individual sensitivity.                  |
|                       | cause eye and skin initiation with respect to individual sensitivity.                  |
|                       | Constituation  |
|                       | Sensitisation  |
|                       | Conclusion/Summary : Not available.  |
|                       |  |
|                       | Mutagenicity   |
|                       | Conclusion/Summary : Not available.  |
|                       | , , , , , , , , , , , , , , , , , , ,  |
|                       | Carcinogenicity  |
|                       | Conclusion/Summary : Not available.  |
|                       | Reproductive toxicity  |
|                       | Conclusion/Summary : Not available.  |
|                       |  |
|                       | Teratogenicity   |
|                       |  |
|                       | Conclusion/Summary : Not available.  |
|                       |  |
|                       | Aspiration hazard  |

📆 EURO-VAT

Previous version preparation date: 13.07.2018 Update date:

## DYNAMAX TRUCKMAN HD 20W/50

| Not available.<br>Other information : |
|---------------------------------------|
| Not available.                        |

#### **SECTION 12: ECOLOGICAL INFORMATION**

| 12.1 Toxicity                              | Poorly soluble mixture. May cause physical fouiling of aquatic organisms. Mineral oil is not expected to cause any chronic effects to aquatic organisms at concentrations less than 1 mg/l. |  |
|--|---|--|
| 12.2 Persistence and degradability         | Expected to be not readily biodegradable. Major constituents are expected to be inherently biodegradable, but the product contains components that may persist in the environment.          |  |
| 12.3 Bioaccumulative potential             | Contains components with the potencial to bioaccumulate.  |  |
| 12.4 Mobility                              | Liquid under most environmental conditions. Floats on water. If it enters soil, it will adsorb to soil particles and will not be mobile.  |  |
| 12.5 Results of PBT<br>and vPvB assessment | <b>PBT</b> : Not available. <b>vPvB</b> : Not available.  |  |

| 12. 6 Other adverse | Product is a mixture of non-volatile components, which are not expected to be released |
|---------------------|--|
| effects             | to air in any significant quantities. Not expected to have ozone depletion potential,  |
|                     | photochemical ozone creation potential or global warming potential.                    |

#### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Product

#### Material disposal

Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses.

#### 13.2. Packing

#### **Container disposal**

Dispose in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand.

#### Local legislation

Disposal should be in accordance with applicable regional, national, and local laws and regulations. EU Waste Disposal Code (EWC): 13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils. Classification of waste is always the responsibility of the end user.

## **SECTION 14: TRANSPORT INFORMATION**

| Transport by land RID/ADR | Not regulated  |
|---------------------------|--|
| Transport by sea IMDG     | Nor regulated  |
| Transport by air          | Not regulated  |
| Additional information    | Does not pose a hazard during transport and does not require special treatment (handling) procedure. |

#### **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>, amended by 2015/830/EU

Annex XIV - List of substances subject to authorisation



Previous version preparation date: 13.07.2018 Update date:

## DYNAMAX TRUCKMAN HD 20W/50

Substances of very high concern None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: Not applicable.

EU Regulation (EC) No 1272/2008 of the European Parliament and of the Council

Other EU regulationsEurope inventory :All components are listed or exemptedBlack List Chemicals :Not listedPriority List Chemicals :Not listedIntegrated pollution prevention and control list (IPPC) - Air:Not listedIntegrated pollution prevention and control list (IPPC) - Water:Not listed

International regulations Chemical Weapons Convention List Schedule I Chemicals: Not listed Chemical Weapons Convention List Schedule II Chemicals: Not listed Chemical Weapons Convention List Schedule III Chemicals: Not listed

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

**SECTION 16: OTHER INFORMATION** 

**Reason for Revision:** 

16.1 Text of H-phrases (point 3):

H413 May cause long lasting harmful effects to aquatic life

#### 16.3 Other information:

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. This does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.