

Update date: 10.11.2017

Page: 1/7 Revision edition no: 1

DYNAMAX GLASS CLEANER SPRAY

Safety data sheet

(Regulation 1907/2006/EC, amended by 2015/830/EU)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier

Material Name:	DYNAMAX GLASS (DYNAMAX GLASS CLEANER SPRAY	
CAS:	EINEC	S:	
	ELINC	S.	

1.2. Identified uses

Uses:	Glass cleaner and a mirror removing grease
e ses.	

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier:	EURO-VAT spol. s r.o.
IČO:	18049397
Address:	Alekšince 231
	951 22
	Alekšince
	Slovakia
Phone/fax number:	+421 37 7822 326-7
E-mail:	<u>eurovat@eurovat.sk</u> www.eurovat.sk
Emergency phone number:	National Poisons Information Service: City Hospital, Birmingham B187QH, United Kingdom Phone: +44 121 507 4123 E-mai: allistervale(at)npis.org, sallybradberry(at)npis.org Website: www.npis.org

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the	Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]
substance or mixture	Flam. Aerosol 1 H222-H229
substance of mixture	Eye Irrit. 2 H319
	Lyc IIII. 2
	Hazard pictograms (CLP/GHS):
2.2 Label elements	
	Signal word: danger
	H-phrases:
	H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated
	H319 Causes serious eye irritation
	P-phrases:
	P102 Keep out of reach of children
	P260 Do not breathe spray
	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking
	P251 Pressurized container: Do not pierce or burn, even after use



2.3 Other hazards

Previous version preparation date: 20.11.2013

Page: 2/7 Revision edition no: 1 Update date: 10.11.2017

DYNAMAX GLASS CLEANER SPRAY

P211 Do not spray on an open flame or other ignition source

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C

P501 Dispose of contents/container in accordance with local regulations

aliphatic hydrocarbons 5 – 15% Contains:

Precautionary statements

Prevention: Do not breathe vapour. Do not eat, drink or smoke when

using this product. Wash hands thoroughly after

handling.

Response: Get medical attention if you feel unwell. IF SWALLOWED:

Call a POISON CENTER or physician if you feel unwell.

Storage: Store in a cool place. Protect from direct sunlight.

Observe official regulations on storing packagings

with pressurized containers.

Disposal: Not applicable. Supplemental label elements: Not applicable.

Special packaging requirements

Containers to be fitted with child-resistant fastenings: Not applicable.

Tactile warning of danger: Not applicable.

Substance meets the criteria for PBT according to Regulation (EC) No.

1907/2006, Annex XIII:

Not available.

Substance meets the criteria for vPvB according to Regulation (EC) No.

1907/2006, Annex XIII:

Not available.

Other hazards which do not result in classification: Not available.

SECTION 3. COMPOSITION/INFORMATION ON IGREDIENTS

Product /ingredient name	CAS	EC	Symbols	Conc.	Registr. no REACH	GHS classification	
propan-2-ol	67-63-0	200-661-7	GHS02,07	5 - 10	01-2119457558-25- xxxx	Flam. Liq. 2 Eye Irrit.2 STOT SE 3	H225 H319 H336
propane	74-98-6	200-827-9	GHS02	2,5 - 5	01-2119486944-21- xxxx	Flam. Gas 1 Press Gas	H220 H280
butane	106-97-8	203-448-7	GHS02	2,5 - 5	01-2119474691-32- xxxx	Flam. Gas 1 Press Gas	H220 H280
isobutane	75-28-5	200-857-2	GHS02	2,5 - 5	01-2119485395-27- xxxx	Flam. Gas 1 Press Gas	H220 H280
1-methoxypropan-2-ol	107-98-2	203-539-1	GHS02	2,5 - 5	01-2119457435-35- xxxx	Flam. Liq. 3	H226

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid	Eye contact:	Rinse immediately with plenty of water. Seek medical attention if	
measures		irritation develops.	
	Inhalation:	Assure fresh air breathing. If you feel unwell, seek medical advice.	
	Skin contact:	Wash the skin with water and soap and apply skin-protective cream.	
	Ingestion:	Do not induce vomiting. If the injured is conscious give 2 glasses of	
		water. Ensure medical assistance immediately	
4.2 Most important	Potential acute health effects		
symptoms and effects,	Eye contact:	Rinse gentle stream of water for at least 15 minutes. If symptoms	
both acute and delayed		persist, consult a doctor.	
_	Inhalation:	Inhalation occurs facial flushing and feeling drunk.	



Update date: 10.11.2017

Page: 3/7 Revision edition no: 1

DYNAMAX GLASS CLEANER SPRAY

	Skin contact: Wash off with warm water and soap and apply a suitable cream. Ingestion: After ingestion rinse mouth with water. Give water to drink. Do not induce vomiting. Seek medical advice.		
4.3 Indication of any immediate medical attention and special	Notes to physician: No specific notes. Specific treatments: No specific treatment.		
treatment needed			

SECTION 5. FIRE FIGHTING MEASURES

5.1 Suitable extinguishing media	Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
5.2. Unsuitable extinguishing media	Direct water stream
5.3. Specific hazards	There is no relevant information
5.4. Protective equipment for firefighters	No special measures
Additional advice	-

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions	Ensure adequate ventilation. Avoid contact with skin and eyes. No smoking.
6.2. Environmental	Do not allow to surface and groundwater. With its breakthrough contact person.
precautions	
6.3. Clean up methods	Spills drain device for I.degree fire hazard to vessels, remnants suck suitable absorbent agent. Material according to the degree of pollution in an appropriate
	incinerator to burn.

SECTION 7. HANDLING AND STORAGE

7.1. Handling	When using do not eat or drink or smoke. Observe safety and sanitary measures.
7.2 . Storage	Store in a cool place. Protect from direct sunlight. Observe official regulations on
	storing packagings with pressurized containers.

SECTION 8. EXPOSURE CONTROL/PERSONAL PROTECTION

8.1. Control parameters	Ventilation respectively. exhausting work areas. The work may not be readily combustible substances and other dangerous source of fire.
8.2 Exposure controls	Observe the usual precautions for health at work and in good ventilation. When using do not eat, drink or smoke.
8.2.1 Occupational exposure controls	a) Respiratory protection: not required b) Eye protection: not required c) Protection of hands: protective gloves (EN 374) d) protection: not required
8.2.2. Environmental exposure controls	To prevent leakage of concentrated mixture into surface water drains or soil. Mixture stored in tightly sealed and labeled containers.
8.3. TWA	<u>propan-2-ol:</u> short-term = 1000 mg/m3, 400 ppm average = 500 mg/m3, 200 ppm. <u>1-methoxypropan-2-ol:</u> short-term = 568 mg/m3, 150 ppm average = 375 mg/m3, 100 ppm.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties



Previous version preparation date: 20.11.2013 Update date: 10.11.2017

Page: 4/7 Revision edition no: 1

DYNAMAX GLASS CLEANER SPRAY

Fysical state	aerosol
Colour	colorless
Odour	charakteristic
рН	not available
Flash point (ASTM-D92) [°C]	< 0
Boiling point [°C]	not available
Freezing point [°C]	not available
Flammability	not available
Temperature of spontaneous	>425
combustion [°C]	
Lower limit of explosion [vol.%]	2,0
Upper limit of explosion [vol.%]	12,0
Oxidising properties	not available
Vapour pressure at 20°C [hPa]	3 500
Relative density at 20°C [g.cm ⁻³]	0,914 +/- 0,010
Water solubility [g.l ⁻¹]	insoluble
Solubility in solvents [g.l ⁻¹]	-
9.2 Other information	
VOC-content [%] min.	25

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity	There is no relevant information
10.2 Chemical stability	There is no relevant information
10.3 Possibility of hazardous reactions	There is no relevant information
10.4 Conditions to avoid	There is no relevant information
10.5 Incompatible materials	There is no relevant information
10.6 Hazardous decomposition products	There is no relevant information

SECTION 11. TOXICOLOGICAL INFORMATION

	Acute toxicity
toxicological effects	
	Acute oral toxicity:
	propan-2-ol:
	LD50 (rat) = 5 045 mg/kg
	1-methoxypropan-2-ol:
	LD50 (rat) = 5 660 mg/kg
	Acute dermal toxicity:
	propan-2-ol:
	LD50 (rabbit) = 12 800 mg/kg
	1-methoxypropan-2-ol:
	LD50 (rabbit) > 13 000 mg/kg
	Acute inhalation toxicity:
	propan-2-ol:
	LC50 (rat) 4 hours = 30 mg/m3
	<u>butan:</u>
	$LC50 \text{ (rat) } 4 \text{ hod.} = 658 \ 000 \text{ mg/m3}$
	1-methoxypropan-2-ol:
	LC50 (rat) 4 hours = 55 mg/m 3
	- · ·



Page: 5/7 Update date: 10.11.2017 Revision edition no: 1

DYNAMAX GLASS CLEANER SPRAY

Irritation/Corrosion

Conclusion/Summary: Irritant to skin and mucous membrane

Sensitisation

Conclusion/Summary: Not available.

Mutagenicity

Conclusion/Summary: Not available.

Carcinogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Conclusion/Summary: Not available.

Teratogenicity

Conclusion/Summary: Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure: Not available.

Symptoms related to the physical, chemical and toxicological characteristics

Eve contact: No specific data. **Inhalation:** No specific data. Skin contact: No specific data Ingestion: No specific data.

Delayed and immediate effects and also chronic effects from short and long term

exposure

Short term exposure

Potential immediate effects: Not available. Potential delayed effects: Not available.

Long term exposure

Potential immediate effects: Not available. Potential delayed effects: Not available.

Potential chronic health effects

Conclusion/Summary: Not available.

General: No known significant effects or critical hazards. Carcinogenicity: No known significant effects or critical hazards. **Mutagenicity:** No known significant effects or critical hazards. **Teratogenicity:** No known significant effects or critical hazards. **Developmental effects:** No known significant effects or critical hazards. Fertility effects: No known significant effects or critical hazards.

Other information:

Not available.

SECTION 12. ECOLOGICAL INFORMATION

	12.1 Toxicity	propan-2-ol:	
		EC50 (daphnia magna) 48 hours = 13 299 mg/l	
		I.C50 (fish) 96 hours = 4 200 mg/l	



Update date: 10.11.2017

Page: 6/7 Revision edition no: 1

DYNAMAX GLASS CLEANER SPRAY

1- methoxypropan-2-ol:
EC50 (actief slib) > 1 000 mg/l
LC50 (Leuciscus idus) 96 hours = $4600 - 10000 \text{ mg/l}$

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential Not available.

12.4 Mobility Not available.

12.5 Results of PBT and vPvB assessment vPvB: Not available.

VPvB: Not available.

12. 6 Other adverse
effects

Water hazard class 2 (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. In the waters also poisonous for fish and plankton. Toxic to aquatic organisms.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Product

Methods of disposal: The generation of waste should be avoided or minimised wherever possible.

Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal

legislation and any regional local authority requirements.

Hazardous waste: The classification of the product meets the criteria for a hazardous waste.

Type of waste	Name of waste	Category of waste
20 01 13	solvents	N

13.2 Packaging

Methods of disposal: The generation of waste should be avoided or minimised wherever possible.

Waste packaging should be recycled. Incineration or landfill should only be

Considered when recycling is not feasible.

Special precautions: This material and its container must be disposed of in a safe way. Care should

be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways,

drains and sewers.

Type of waste	Name of waste	Category of waste
15 01 04	Packaging of metal	N

SECTION 14. TRANSPORT INFORMATION

ADR	UN 1950
Class	2 5F Gases
Hazard identification number	2.1
Packing group	AEROSOLS

SECTION 15. REGULATORY INFORMATION



Update date: 10.11.2017

DYNAMAX GLASS CLEANER SPRAY

Page: 7/7

Revision edition no: 1

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH) + EU Regulation No. 453/2010, which he amended

Annex XIV - List of substances subject to authorisation

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: Not applicable.

EU Regulation (EC) No 1272/2008 of the European Parliament and of the Council

Other EU regulations

Europe inventory: All components are listed or exempted.

Black List Chemicals: Not listed
Priority List Chemicals: Not listed

Integrated pollution prevention and control list (IPPC) - Air: Not listed **Integrated pollution prevention and control list (IPPC) - Water:** Not listed

International regulations

Chemical Weapons Convention List Schedule I Chemicals: Not listed Chemical Weapons Convention List Schedule II Chemicals: Not listed Chemical Weapons Convention List Schedule III Chemicals: Not listed

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16. OTHER INFORMATION

Reason for Revision:

10.11.2017 - Classification of the mixture of the European Parliament and Council Regulation (EC) No. 1272/2008

16.1 Text of H-phrases (point 3):

- H220 Extremely flammable gas
- H225 Highly flammable liquid and vapour
- H226 Flammable liquid and vapour
- H280 Contains gas under pressure; may explode if heated
- H319 Causes serious eye irritation
- H336 May cause drowsiness or dizziness

Product packaging must meet the following requirements:

-

16.3 Other information:

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. This does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.