

Update date:

Page: 1/8 Revision edition no: 0-new

# **DYNAMAX RADIATOR CLEANER component 2**

# Safety data sheet

(Regulation 1907/2006/EC)

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product identifier

Material Name:	DYNAMAX RADIATOR CLEANER component 2		
CAS:	EINECS:		
	ELINCS:		

## 1.2. Identified uses

Uses:	Cleaner liqiud	
-------	----------------	--

# 1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier:	EURO-VAT spol. s r.o.
IČO:	18049397
Address:	Alekšince 231
	951 22
	Alekšince
	Slovakia
Phone/fax number:	+421 37 7822 326-7
E-mail:	<u>eurovat@eurovat.sk</u> www.eurovat.sk
Emergency phone number:	Národné toxikologické informačné centrum (NTIC) Klinika pracovného lekárstva a toxikológie, FNsP akad. L.Dérera Limbova 5 833 05 Bratislava Tel. +421 2 5477 4166 ntic@ntic.sk www.ntic.sk

# 2. HAZARDS IDENTIFICATION

2.1. Classification of the	Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]
substance or mixture	Hazard categories:
	Flam. Liq. 2
	Acute Tox. 4
2.2.1	Skin Irrit. 2
2.2 Label elements	Eye Dam. 1
	STOT SE 3
	Asp. Tox. 1
	Hazard pictograms (CLP/GHS):  Signal word: danger  H-phrases: H225 Highly flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation.



Update date: Revision edition no: 0-new

# **DYNAMAX RADIATOR CLEANER component 2**

Page: 2/8

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

# P-phrases:

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P235 Keep cool.

P280 Wear protective gloves and eye/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of this material and its container to hazardous or special waste collection point.

Contains: xylene

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclenes, < 2% aromates

acetone

alcohols, ethoxylated

#### **Precautionary statements**

**Prevention:** Do not breathe vapour. Do not eat, drink or smoke when

using this product. Wash hands thoroughly after

handling.

**Response:** Get medical attention if you feel unwell. IF SWALLOWED:

Call a POISON CENTER or physician if you feel unwell.

Storage: Store in original container in a well ventilated area

at temperatures up to 40 °C.

**Disposal:** Not applicable. **Supplemental label elements:** Not applicable.

#### 2.3 Other hazards

# Special packaging requirements

Containers to be fitted with child-resistant fastenings: Applicable.

Tactile warning of danger: Applicable.

Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII:

Not available.

Substance meets the criteria for vPvB according to Regulation (EC) No.

1907/2006, Annex XIII:

Not available.

Other hazards which do not result in classification: Not available.

## 3. COMPOSITION/INFORMATION ON IGREDIENTS

Product /ingredient name	CAS	EC	Symbols	Conc.	Registr. no REACH	GHS classif	ïcation
xylene	1330-20-7	215-535-7	GHS02,07	20 – 40	01-2119488216- 32-xxxx	Flam. Liq. 3 Acute Tox. 4 Acute Tox. 4 Skin Irrit. 2	H226 H332 H312 H315
hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclenes, < 2% aromates	64742-48-9	919-857-5	GHS02,07, 08	20- 40	01-2119463258- 33-xxxx	Flam. Liq. 3 STOT SE 3 Asp. Tox. 1	H226 H336 H304



Update date:

Page: 3/8 Revision edition no: 0-new

# **DYNAMAX RADIATOR CLEANER component 2**

							EUH066
acetone	67-64-1	200-662-2	GHS02,07	20 - 40	01-2119471330- 49-xxxx	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336 EUH066
propan-2-ol	67-63-0	200-661-7	GHS02,07	20 - 40	01-2119457558- 25-xxxx	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336
alcohols, ethoxylated	160901-19-9	-	GHS05,07	1 - 10	01-2119490233- 42-xxxx	Acute Tox. 4 Eye Dam. 1 Aquatic Chronic 3	H302 H318 H412 EUH066

Full text of H and EUH phrases: see section 16.

# 4. FIRST AID MEASURES

4.1 Description of first aid	Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.	
measures	Inhalation:	Remove casualty from exposure ensuring one's own safety whilst	
		doing so. Move to fresh air in case of accidental inhalation of	
		vapours. Consult a doctor.	
	Skin contact:	Wash immediately with plenty of soap and water. Remove all	
		contaminated clothes and footwear immediately unless stuck to skin.	
	Ingestion:	Do not induce vomiting. Consult a doctor.	
4.2 Most important	Potential acute health effects		
symptoms and effects,	Eye contact:	There may be irritation and redness.	
both acute and delayed	Inhalation:	No symptoms.	
·	Skin contact	: There may be mild irritation at the site of contact.	
	Ingestion:	There may be vomiting.	
4.3 Indication of any	Notes to phys	sician: No specific notes.	
immediate medical	Specific treatments: No specific treatment.		
attention and special	•	•	
treatment needed			

# **5. FIRE FIGHTING MEASURES**

5.1 Suitable extinguishing media	Alcohol or polymer foam. Carbon dioxide. Dry chemical powder.
5.2. Unsuitable extinguishing media	None known.
5.3. Specific hazards	In combustion emits toxic fumes of carbon dioxide / carbon monoxide.
5.4. Protective equipment for firefighters	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.
Additional advice	-

# 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions	Refer to section 8 of SDS for personal protection details. If outside keep bystanders upwind and away from danger point.
6.2. Environmental precautions	Do not discharge into drains or rivers. Contain the spillage using bunding.
6.3. Clean up methods	Mix with sand or vermiculite.

# 7. HANDLING AND STORAGE

7.1. Handling	Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.
7.2 . Storage	Store in cool, well ventilated area.



Update date:

Page: 4/8 Revision edition no: 0-new

# **DYNAMAX RADIATOR CLEANER component 2**

# 8. EXPOSURE CONTROL/PERSONAL PROTECTION

8.1. Control parameters	No data available.
8.2 Exposure controls	Observe the usual precautions for health at work and in good ventilation. When using do not eat, drink or smoke.
8.2.1 Occupational exposure controls	a) Respiratory protection: it is necessary only in case of exceeding the TWA (mask with organic vapor filter type A) b) Eye protection: safety glasses c) Protection of hands: protective gloves (EN 374)
	d) protection: clothing (impermeable overalls and closed safety boots)
8.2.2. Environmental	
exposure controls	To prevent leakage of concentrated mixture into surface water drains or soil.  Mixture stored in tightly sealed and labeled containers.
8.3. TWA	xylene: average: 50 ppm short: 100 ppm acetone: average: 500 ppm short: 1500 ppm propan-2-ol: average: 400 ppm short: 500 ppm

# 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Fysical state	liquid
Colour	colourless
Odour	charakteristic
pH	not available
Flash point (ASTM-D92) [°C]	not available
Boiling point [°C]	>56
Freezing point [°C]	-9
Flammability	not available
Temperature of spontaneous combustion [°C]	not available
Lower limit of explosion	0,6
Superior limit of explosion	14,3
Oxidising properties	not available
Vapour pressure [hPa]	440
Relative density [g.cm <sup>-3</sup> ] max.	0,820
Water solubility [g.l <sup>-1</sup> ]	miscible in all proportions
Solubility in solvents [g.l <sup>-1</sup> ]	not available
9.2 Other information	No additional information.
Viscosity / kinematic at 40 °C [mm².s]	0,73

# 10. STABILITY AND REACTIVITY

10.1 Reactivity	Stable under recommended transport or storage conditions.		
10.2 Chemical stability	Stable under normal conditions.		
10.3 Possibility of	.3 Possibility of Hazardous reactions will not occur under normal transport or storage condition		
hazardous reactions			



Previous version preparation date: 21.03.2019 Update date: Page: 5/8 Revision edition no: 0-new

# **DYNAMAX RADIATOR CLEANER component 2**

10.4 Conditions to avoid	No information available.		
10.5 Incompatible materials	No information available.		
10.6 Hazardous	0.6 Hazardous In combustion emits toxic fumes of carbon dioxide / carbon monoxide.		
decomposition products			

## 11. TOXICOLOGICAL INFORMATION

11.1 Information on	i
toxicological effects	

#### **Acute toxicity**

## **Acute oral toxicity:**

<u>hydrocarbons</u>, C9-C11, n-alkanes, isoalkanes, cyclenes, < 2% aromates:

LD50 (rat) > 8 000 mg/kg

acetone:

LD50 (rat) = 5 800 mg/kg

propan-2-ol:

LD50 (rat) = 5 840 mg/kg

## **Acute dermal toxicity:**

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclenes, < 2% aromates:

LD50 (rat) > 4 000 mg/kg

acetone:

LD50 (rabbit) = 20 000 mg/kg

propan-2-ol:

LD50 (rabbit) = 12 857 mg/kg

#### Acute inhalation toxicity:

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclenes, < 2% aromates:

LC50 (rat) > 18,5 mg/l /4h.

acetone:

LC50 (rat) = 76 mg/l /4h.

propan-2-ol:

LC50 (rat) > 10 000 mg/l /4h.

### Irritation/Corrosion

Conclusion/Summary: Causes eye and skin irritation.

**Sensitisation** 

Conclusion/Summary: Not available.

Mutagenicity

Conclusion/Summary: Not available.

Carcinogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Conclusion/Summary: Not available.

**Teratogenicity** 

Conclusion/Summary: Not available.

**Aspiration hazard** 

Not available.

**Information on the likely routes of exposure:** Not available.



Update date: Revision edition no: 0-new

## **DYNAMAX RADIATOR CLEANER component 2**

Page: 6/8

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.

Inhalation: No specific data.

Skin contact: No specific data

Ingestion: No specific data.

Delayed and immediate effects and also chronic effects from short and long term

exposure

**Short term exposure** 

Potential immediate effects: Not available.

Potential delayed effects: Not available.

Long term exposure

**Potential immediate effects:** Not available. **Potential delayed effects:** Not available.

**Potential chronic health effects** 

Conclusion/Summary: Not available.

Other information:

Not available.

#### 12. ECOLOGICAL INFORMATION

<b>12.1 Toxicity</b> hydrocarbons, C	C9-C11, n-alkanes,	isoalkanes, cy	velenes, < 2% aromates:
--------------------------------------	--------------------	----------------	-------------------------

LC50 (fish) > 1000 mg/l / 96 h.

LC50 (algae) > 1000 mg/l / 72 h.

EC50 (Daphnia magna) > 1000 mg/l / 48 h.

acetone:

LC50 (fish) = 5540 mg/l / 96 h.

EC50 (Daphnia magna) = 6100 mg/l / 48 h.

propan-2-ol:

LC50 (fish) > 100 mg/l / 96 h.

LC50 (algae) > 100 mg/l / 72 h.

EC50 (Daphnia magna) > 100 mg/l / 48 h.

# 12.2 Persistence and degradability Biodegradable.

12.3 Bioaccumulative No bioaccumulation potential.

12.4 Mobility Non-volatile. Soluble in water.

12.5 Results of PBT and vPvB assessment PBT: Not available.
vPvB: Not available.

12. 6 Other adverse - effects

#### 13. DISPOSAL CONSIDERATIONS

## 13.1 Product

**Methods of disposal:** Physico-chemical treatment not specified elsewhere in this Annex which results in final compounds or mixtures which are discarded by means of any of the other possible disposal operations (e.g. evaporation, drying, calcination, etc.).



Page: 7/8 Update date: Revision edition no: 0-new

## **DYNAMAX RADIATOR CLEANER component 2**

Recovery operations: Recycling/reclamation of organic substances which are not used as solvents (including

composting and other biological transformation processes).

Waste code number: 07 07 04

13.2 Packaging

Methods of disposal: The generation of waste should be avoided or minimised wherever possible.

Waste packaging should be recycled. Incineration or landfill should only be

Considered when recycling is not feasible.

Special precautions: This material and its container must be disposed of in a safe way. Care should

be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways,

drains and sewers.

Type of waste	Name of waste	Category of waste
15 01 10	Packaging containing residues of hazardous substances	N
	or contaminated by dangerous substances	

#### 14. TRANSPORT INFORMATION

ADR	1993
UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (Xylene; Acetone; Isopropanol)
Transport hazard class	3
Packing group	II

#### 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH) + EU Regulation No. 453/2010, which he amended

#### Annex XIV - List of substances subject to authorisation

### **Substances of very high concern**

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: Not applicable.

### EU Regulation (EC) No 1272/2008 of the European Parliament and of the Council

#### Other EU regulations

**Europe inventory:** All components are listed or exempted.

**Black List Chemicals:** Not listed **Priority List Chemicals:** Not listed

Integrated pollution prevention and control list (IPPC) - Air: Not listed Integrated pollution prevention and control list (IPPC) - Water: Not listed

#### **International regulations**

Chemical Weapons Convention List Schedule I Chemicals: Not listed Chemical Weapons Convention List Schedule II Chemicals: Not listed Chemical Weapons Convention List Schedule III Chemicals: Not listed

#### 15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

## 16. OTHER INFORMATION



Previous version preparation date: 21.03.2019 Update date: Page: 8/8 Revision edition no: 0-new

## **DYNAMAX RADIATOR CLEANER component 2**

## **Reason for Revision:**

-

## 16.1 Text of H-phrases (point 3):

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H336 May cause drowsiness or dizziness.
- H412 Harmful to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking.

## 16.3 Other information:

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. This does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.